

Chameleon Modular Acoustics



- Specifications -



Give your whiteboard a bit of colour!

Chameleon acoustic surface consists of 60% recycled PET bottles and 40% polyester fibre. These materials are processed to become a strong sound-absorbing felt. By using the same mounting system as with our Chameleon whiteboards, many different panel combinations can be applied.

General - PET-felt panels

Size cm	Unit	Silver Grey	Grey	Anthracite	Dark Camel	Gross weight	Nett weight
44 x 118	Unit 1 (panels)	11208.018	11208.028	11208.038	11208.048	3,74	2,94
88 x 118	Unit 1 (panels)	11208.019	11208.029	11208.039	11208.049	7,19	5,69
49 x 198	Unit 1 (panels)	11208.014	11208.024	11208.034	11208.044	6,22	5,22
98 x 198	Unit 1 (panels)	11208.015	11208.025	11208.035	11208.045	10,43	10,43

Size cm	Unit	Light Oak	Green	Light Blue	Gross weight	Nett weight
44 x 118	Unit 1 (panels)	11208.058	11208.068	11208.078	3,74	2,94
88 x 118	Unit 1 (panels)	11208.059	11208.069	11208.079	7,19	5,69
49 x 198	Unit 1 (panels)	11208.054	11208.064	11208.074	6,22	5,22
98 x 198	Unit 1 (panels)	11208.055	11208.065	11208.075	10,43	10,43

Colours

Grey Tones

Stock colours



AP/9-12
Silver grey



AP/9-16
Grey




AP/9-03
Antraciet

Nature


Stock colours




AP/9-22
Dark Camel



AP/9-39
Light Oak



AP/9-19
Green




AP/9-14
Light Blue

Technical

PET-felt panels


Charastaristics:	<ul style="list-style-type: none"> • Akoestisch • Beprikbaar en magneethoudend voor glasbordmagneten
Thickness	10 mm (vlakke overgang naar emaille schrijfooppervlak)
Acoustic performance:	α_w 0,25 NRC 0,30 Klasse D
Flamability:	Getest volgens EN 13501-1:2007 + A1:2009
Density PET-felt:	210 kg/ m ³
Mounting:	44 x 118 cm: Magnetic mounting (4 magnetic strips per panel) 88 x 118 cm: Magnetic mounting (7 magnetic strips per panel) 49 x 198 cm: Magnetic mounting (6 magnetic strips per panel) 98 x 198 cm: Magnetic mounting (12 magnetic strips per panel)
Guarantee:	2 jaar



Construction

PET-felt panels


- Surface:** PET-felt panel, thickness: 9 mm
60% recycled PET bottles, 40% new polyester fibre
 - Backing:** 0,4 mm galvanised steel sheet
- Glue included, the combined thickness of the panel is 10 mm.



Construction

Magnetic mounting strip

- 1. **Magnet sheet:** Anisotropic magnet, 1,5 mm thick
- 2. **Adhesive layer:** Glue
- 3. **Mounting strip:** Aluminum strip, 3 mm thick, with holes for screwing.



Packaging

Type:	Schrink foil
Content:	Chameleon PET-felt panel + required amount of magnetic strips
Packaging unit:	1 unit
Materials:	Schrink foil, EPS protection blocks
Size:	Panel size + 3 cm width, 3 cm depth, 4 cm height